

0390243686

CHP3 Large Electric Motor with Transmission



For reliable performance, robustness and broad variety of speed/torque: The Bosch large geared motors cover a wide range of 12V and 24V applications. Decades of experience in manufacturing of electric motors have led to the current design of the large geared motors CHP, CDP, EFP and WDD. Depending on the model, the rotating speed, rotating angle, position and the torque can be parameterized according to the design.

Degree of protection: IP6K7
Operating mode: S2 / S3
Nominal voltage: 12 V
Motor with two speeds










Contact us!

Product Specification

Technical data and performance curve



Nominal power (W)*: 12,8 / 8,5

Nominal current (A)*: 4,5 / 3,5

Nominal speed (rpm)*: 61 / 41

Nominal torque (Nm): 2

Stall torque (Nm)*: 25 / 28

Transmission ratio: 76:1

Rotation direction: counterclockwise

Hall Sensor: No


Transmission position: Left

*Motor with two speeds






Dimensions




Please contact us if you need a 3d model

Contact

Circuit diagram



Connector



Housing:

TE C-638245

Locker:

-

PIN:


TE 1-962843-1

Product images and pictures are for demonstration purposes only, the actual product may differ from the picture shown. The quotation drawing is binding.





Drive interface



Features and benefits

- Models with integrated electronics: Suitable for a wide range of applications and depending on model equipped with bus communication digital/LIN/CAN as well as teach-in functions
- Rotation in both directions: For using the motor as a drive or as an actuator
- Production in accordance with high automotive quality guidelines: for proven quality, high reliability and a long service life
- Operating mode S1: Suitable for continuous operation

Downloads

You may also be interested in:

To Product family: Catalogue

